

FAST & INTUITIVE

FOR EXCELLENT CLEANING PERFORMANCES



IPC
BY TENNANT COMPANY

CT231

CT



231



CT231 is the new ride-on scrubber dryer with large solution **(220lt)** and recovery tanks **(230lt)** allowing an extended uptime and maximizing the performances.

Easy and intuitive, CT231 is ideal to work in Logistic, Industrial and Retail Mall areas.



HIGH PRODUCTIVITY

The large tanks and the longer runtime make the CT231 highly productive and extremely versatile, thus increasing both efficiency and uptime.

.01.

Outstanding productivity with 220/230 lt large tanks and >5hrs runtime with a full charged battery.

.02.

Central ergonomic driving position for excellent operator visibility on both sides to improve efficiency in total safety and comfort.

.03.

Left and right sides brushes for more accurate cleaning results.

.04.

Innovative cylinder brush variant, 3 in 1: sweep, wash and dry in a single passage, collecting the debris in an under frame removable canister.





EXCELLENT CLEANING PERFORMANCES

The CT231 ride-on scrubber dryer combines adjustable Pre-Set program, with a specific V-shape squeegee and an automatic self-leveling brush system to clean hard and soft floor surfaces.



Adjustable pre-set programs to respond more efficiently to the cleaning area conditions.

.01.

Specific V-shape design squeegee improving draining performances for super quality results.


.02.

Automatic self-leveling system keeps constant the pressure on the floor, ensuring uniform cleanliness on uneven surfaces.

.03.

Integrated Chemical Dosing system (optional) for severe cleaning conditions.

.04.





INTUITIVE AND EASY MAINTENANCE

The user-friendly interface allows operators to simplify training. The smart machine design has been studied to keep everything under control for easy maintenance activities.

.01.

Simple start with one button and 3 pre-sets program (Light, Medium, Hard)

.02.

The Automatic Refilling System optimizes the operator time stopping the water refelling when the tank is full.

.03.

Daily maintenance operations are highlighted with yellow points for an easier and intuitive approach.

.04.

New ergonomic drain hoses positions for easy tanks discharge operations.

.05.

Automatic Spin on/ Spin-off system for a quick and simple brushes replacement.



ORDINARY MAINTENANCE:

just lifting the recovery tank, the operator has easy access to the battery compartments for the daily charging process.



EXTRAORDINARY MAINTENANCE:

simply lifting the recovery and solution tanks for easy access to all parts to simplify service maintenance.

SPECIFICATIONS

CODE		CT231 BT105 LPTB03545	CT231 BT100 R SWEEP LPTB03546
MAX THEORETICAL PRODUCTIVITY	m ² /h	7560	7200
CLEANING PATH	mm	1050	1000
WATER TANK CAPACITY (SOLUTION RECOVERY)	l	220/230	220/230
MAX RUNNING TIME	min	300	300
VOLTAGE	V-Ah	36 (1x36) - 320	36 (1x36) - 320
INSTALLED POWER	W	2780	3060
BRUSH PRESSURE	kg	116	37
SQUEEGEE WIDTH	mm	1380	1380
MAX SPEED	km/h	7,2	7,2
NOISE LEVEL	dBA	76	79
WEIGHT (WITHOUT BATTERIES)	kg	450	475
DIMENSION (LXWXH)	mm	2006x1506x1376	2016x1506x1376





IPC

BY TENNANT COMPANY



IMPORT: TAVERNARO AG
Seuzachstrasse 28
CH-8413 Neftenbach-Winterthur
Telefon: 052 315 19 78, Fax: 052 315 30 70
info@taverno.com, www.cleanshop.ch

IP Cleaning Srl

Viale Treviso, 63

30026 Summaga di Portogruaro (VE) - Italy

Tel. +39 0421 205511 - Fax +39 0421 204227

info@ipcworldwide.com - www.ipcworldwide.com

